



09/686417

C2C/85

Atty. Docket No. APP10 R-306

CERTIFICATE OF MAILING

I hereby certify that this paper, together with all enclosures identified herein, are being deposited with the United States Postal Service as first class mail, addressed to the Attention: Certificate of Correction Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, Virginia 22313-1450, on the date indicated below.

October 18, 2005

Date

Deborah A. Clark

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Patentee : Johannes Stollenwerk et al.
Patent No. : 6,905,776 B1
Issue Date : June 14, 2005

Attention: Certificate of Correction Branch
Commissioner for Patents
P.O. Box 1450
Alexandria, Virginia 22313-1450

Certificate
OCT 26 2005
of Correction

Dear Sir:

A request is being made for a Certificate of Correction in the above-identified patent which issued with the following errors identified by page and line from the application file.

Page 2, line 9;

After "additional " delete "." (period).

*Page 2, line 11;

"describe" should be - -described- -.

*Page 4, line 19;

Delete "it would be necessary," (first occurrence).

*Page 5, line 22;

"0,5-10%" should be - -0.5-10%- -.

*Page 6, line 5;

"2,5 sq" should be - -2.5 sq- -.

*Amendment D, Page 3, claim 21, line 1;


Before "layer" insert - -The- -.

Patentee : Johannes Stollenwerk et al.
Patent No. : 6,905,776 B1
Page : 2

Enclosed is the Certificate of Correction Form PTO 1050 identifying errors by column and line from the patent which are chargeable to the Official Printer. Enclosed is a check for \$100.00 to cover our errors which are identified with an asterisk. The Commissioner is hereby authorized to charge any additional payment, or to credit any overpayment, to Deposit Account No. 16-2463.

Respectfully submitted,

October 18, 2005
Date



Gunther J. Evanina, Registration No. 35 502
695 Kenmoor, S.E.
Post Office Box 2567
Grand Rapids, Michigan 49501
(616) 949-9610

GJE/dac

OCT 27 2005

Staple
Here
Only!

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO. : 6,905,776 ^{B1}
 DATED : June 14, 2005
 INVENTORS : Johannes Stollenwerk et al.

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Column 1:

Line 58, After "additional" delete "." (period).

Line 59, "describe" should be - -described- -.

Column 3:

Line 30, Delete "it would be necessary," (first occurrence).

Column 4:

Line 11, "0,5-10%" should be - -0.5-10%- -.

Line 27, "2,5 sq" should be - -2.5 sq- -.

Column 5:

Claim 12, Line 1, Before "layer" insert - -The- -.

MAILING ADDRESS OF SENDER:

Gunther J. Evanina
 Price, Heneveld, Cooper,
 DeWitt & Litton, LLP
 Post Office Box 2567
 Grand Rapids, MI 49501

PATENT NO. 6,905,776

No. of add'l copies
 @ \$0.50 per page

FORM PTO 1050

⇒0

OCT 27 2005